

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-1**

**This is to certify**

that the product: **Valve**  
Type designation: **D40900.3A-2AE.4A.4S0.E**  
Application/context: \_\_\_\_\_  
Serial/tag no: **1V-0219A**

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for  
Yard: \_\_\_\_\_  
Yard No: **-**  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D42006**

**The product / material has been marked: N141ZHFA-1 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **20021101**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Italy/Malta CMC** on **2020-05-19**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-1**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-2**

**This is to certify**

that the product:	<b>Valve</b>
Type designation:	<b>D40900.3A-2AE.4A.4S0.E</b>
Application/context:	
Serial/tag no:	<b>1V-0219B</b>

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for

Yard:	
Yard No:	-
Name of vessel:	
DNV GL Id No:	<b>D42006</b>

**The product / material has been marked: N141ZHFA-2 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor:	<b>VALVEIT SRL</b>
Vendor reference:	<b>20021101</b>
Purchaser:	
Purchaser reference:	

Issued at **Italy/Malta CMC** on **2020-05-19**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-2**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-3**

**This is to certify**

that the product:	<b>Valve</b>
Type designation:	<b>D40900.3A-2AE.4A.4S0.E</b>
Application/context:	
Serial/tag no:	<b>1V-0219C</b>

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for

Yard: .....

Yard No: - .....

Name of vessel: .....

DNV GL Id No: **D42006** .....

**The product / material has been marked: N141ZHFA-3 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor:	<b>VALVEIT SRL</b>
Vendor reference:	<b>20021101</b>
Purchaser:	
Purchaser reference:	

Issued at **Italy/Malta CMC** on **2020-05-19**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
Surveyor

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-3**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-4**

**This is to certify**

that the product: **Valve**  
Type designation: **D40900.3A-2AE.4A.4S0.E**  
Application/context: \_\_\_\_\_  
Serial/tag no: **2V-0219A**

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for  
Yard: \_\_\_\_\_  
Yard No: **-**  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D42006**

**The product / material has been marked: N141ZHFA-4 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **20021101**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Italy/Malta CMC** on **2020-05-19**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-4**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar



**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-5**

**This is to certify**

that the product: **Valve**  
Type designation: **D40900.3A-2AE.4A.4S0.E**  
Application/context: \_\_\_\_\_  
Serial/tag no: **2V-0219B**

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for  
Yard: **Jiangsu Hongqiang Marine Heavy Industry Co., Ltd.**  
Yard No: **-**  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D42006**

**The product / material has been marked: N141ZHFA-5 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **20021101**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Italy/Malta CMC** on **2020-06-15**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-5**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-6**

**This is to certify**

that the product: **Valve**  
Type designation: **D40900.3A-2AE.4A.4S0.E**  
Application/context: \_\_\_\_\_  
Serial/tag no: **2V-0219C**

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for  
Yard: **Jiangsu Hongqiang Marine Heavy Industry Co., Ltd.**  
Yard No: **-**  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D42006**

**The product / material has been marked: N141ZHFA-6 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **20021101**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Italy/Malta CMC** on **2020-06-15**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-6**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-7**

**This is to certify**

that the product:	<b>Valve</b>
Type designation:	<b>D40900.3A-2AE.4A.4S0.E</b>
Application/context:	
Serial/tag no:	<b>3V-0219A</b>

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for	
Yard:	<b>Jiangsu Hongqiang Marine Heavy Industry Co., Ltd.</b>
Yard No:	-
Name of vessel:	
DNV GL Id No:	<b>D42006</b>

**The product / material has been marked: N141ZHFA-7 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor:	<b>VALVEIT SRL</b>
Vendor reference:	<b>20021101</b>
Purchaser:	
Purchaser reference:	

Issued at **Italy/Malta CMC** on **2020-06-15**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-7**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-8**

**This is to certify**

that the product: **Valve**  
Type designation: **D40900.3A-2AE.4A.4S0.E**  
Application/context: \_\_\_\_\_  
Serial/tag no: **3V-0219B**

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for  
Yard: **Jiangsu Hongqiang Marine Heavy Industry Co., Ltd.**  
Yard No: **-**  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D42006**

**The product / material has been marked: N141ZHFA-8 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **20021101**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Italy/Malta CMC** on **2020-06-15**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-8**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar



**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141ZHFA-9**

**This is to certify**

that the product:	<b>Valve</b>
Type designation:	<b>D40900.3A-2AE.4A.4S0.E</b>
Application/context:	
Serial/tag no:	<b>3V-0219C</b>

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL rules for classification: Ships (2019-07)**

The product is intended for	
Yard:	<b>Jiangsu Hongqiang Marine Heavy Industry Co., Ltd.</b>
Yard No:	-
Name of vessel:	
DNV GL Id No:	<b>D42006</b>

**The product / material has been marked: N141ZHFA-9 on: Name Plate**

**Particulars of Vendor and Purchaser**

Vendor:	<b>VALVEIT SRL</b>
Vendor reference:	<b>20021101</b>
Purchaser:	
Purchaser reference:	

Issued at **Italy/Malta CMC** on **2020-06-15**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Certificate No: **N141ZHFA-9**

**Linked Type Approvals:**

TAP0000052 Rev.1, Butterfly Valves

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	EN-GJS400-15	
Diameter, nominal	900	mm
Medium	Sea water	
Pressure, design	10	bar

# CERTIFICATE

**FOR MANUAL DIAPHRAGMS VALVES DN40 UNI PN16**

## This is to certify

that the product: **10 x Manual diaphragms valves DN40 UNI PN16**  
Type designation: **987.40.12.51.1.0.S**  
Application/context: .....  
Serial/tag no: **N.A.**

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL Rules for classification – Ships, (2016-01)**

The product is intended for  
Yard: -  
Yard No: -  
Name of vessel: **STOCK**  
DNV GL Id No: -

**The product / material has been marked: N141CRJX on: Flange**

## Particulars of Vendor and Purchaser

Vendor: **VALVEIT SRL**  
Vendor reference: **06/16**  
Purchaser: .....  
Purchaser reference: .....

Issued at **Venice** on **2017-01-24**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

**CERTIFICATE**

**FOR MANUAL DIAPHRAGMS VALVES DN40 UNI PN16**

Certificate No:  
**N141DNCE**

**This is to certify**

that the product: **6 x Manual diaphragms valves DN40 UNI PN16**  
Type designation: **987.40.12.51.1.0.S**  
Application/context: .....  
Serial/tag no: **N.A.**

Has been found to comply with relevant requirements in:  
**DNVGL-RU-SHIP :DNV GL Rules for classification – Ships, (2016-01)**

The product is intended for  
Yard: -  
Yard No: -  
Name of vessel: **STOCK**  
DNV GL Id No: -

**The product / material has been marked: N141DNCE on: Flange**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **02/17**  
Purchaser: .....  
Purchaser reference: .....

Issued at **Venice** on **2017-04-03**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

**CERTIFICATE**  
FOR VALVE

Certificate No:  
**N141H5T7**

**This is to certify**

that the product: **12 x Manual diaphragm valve**  
Type designation: **987.50.12.52.1.S**  
Application/context: **Sanitary water**  
Serial/tag no: **Please see below**

Has been found to comply with relevant requirements in:  
**DNV Rules for Classification of Ships (2012-04)**  
**DNVGL-RU-SHIP :DNV GL Rules for classification – Ships (2017-07)**

The product is intended for

Yard: **Meyer Werft GmbH**  
Yard No: **-**  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D33557**

**The product / material has been marked: N141H5T7 on: flange**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **201801**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Venice** on **2018-01-09**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

Certificate No: **N141H5T7**

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	GGG-40	
Material class	III	
Diameter, nominal	50	mm
Medium	fresh water	
Pressure, design	16	bar
Temperature, design maximum	130	°C
Seat design pressure	10	bar

**Serial/Tag no:**

2605026-0080-0201-001 2605026-0080-0201-002 2605026-0080-0201-003 2605026-0080-0201-004  
2605026-0080-0201-006 2605026-0080-0201-008 2605026-0080-0201-009 2605026-0080-0201-010  
2605115-0010-1511-002 2605115-0010-1511-006 2605115-0010-1511-008 2605115-0010-1511-009

**This is to certify**

that the product: **2 x Manual diaphragm valve**  
Type designation: **987.40.12.52.1.S**  
Application/context: **Sanitary water**  
Serial/tag no: **2701905-0010-1105-008**  
**2701905-0010-1105-018**

Has been found to comply with relevant requirements in:  
**DNV Rules for Classification of Ships (2012-04)**  
**DNVGL-RU-SHIP :DNV GL Rules for classification – Ships (2017-07)**

The product is intended for

Yard: **Meyer Werft GmbH**  
Yard No: -  
Name of vessel:  
DNV GL Id No: **D33557**

**The product / material has been marked: N141H5T8 on: flange**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **201801**  
Purchaser:  
Purchaser reference:

Issued at **Venice** on **2018-01-09**



for **DNV GL**

This document has been digitally signed and  
will therefore not have handwritten signatures.

**CONFIDENTIAL**  
**Surveyor**

Certificate No: **N141H5T8**

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	GGG-40	
Material class	III	
Diameter, nominal	40	mm
Medium	fresh water	
Pressure, design	16	bar
Temperature, design maximum	130	°C
Seat design pressure	10	bar



**CERTIFICATE**  
FOR VALVE

**This is to certify**

that the product: **4 x Manual diaphragm valve**  
Type designation: **DN 50 Mod. 987.50.12.52.1.0.S**  
Application/context: \_\_\_\_\_  
Serial/tag no: **Please see below**

Has been found to comply with relevant requirements in:  
**DNV GL Rules for classification – Ships (2016-07)**  
**DNVGL-RU-SHIP :DNV GL Rules for classification – Ships (2017-07)**

The product is intended for  
Yard: **COSCO (QIDONG) OFFSHORE CO., LTD.**  
Yard No: **-**  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D37726**

**The product / material has been marked: N141JE2E on: Flange**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **N959/17**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Venice** on **2018-04-13**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures

**CONFIDENTIAL**  
**Surveyor**

Certificate No: **N141JE2E**

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	GGG-40	
Material class	III	
Diameter, nominal	50	mm
Medium	frash water	
Pressure, design	16	bar
Temperature, design maximum	130	°C

**Serial/Tag no:**

281068-0010-1503-001 281068-0010-1503-002 281068-0010-1503-003 281068-0010-1503-004

**CERTIFICATE**  
FOR VALVE - BUTTERFLY

Certificate No:  
**N141JE2F**

**This is to certify**

that the product: **2 x Manual diaphragm valve**  
Type designation: **DN 40 Mod. 987.40.12.52.1.0.S**  
Application/context: \_\_\_\_\_  
Serial/tag no: **281068.0020-1503-001**  
**281068.0020-1503-002**

Has been found to comply with relevant requirements in:  
**DNV GL Rules for classification – Ships (2016-07)**  
**DNVGL-RU-SHIP :DNV GL Rules for classification – Ships (2017-07)**

The product is intended for  
Yard: **COSCO (QIDONG) OFFSHORE CO., LTD.**  
Yard No: -  
Name of vessel: \_\_\_\_\_  
DNV GL Id No: **D37726**

**The product / material has been marked: N141JE2F on: Flange**

**Particulars of Vendor and Purchaser**

Vendor: **VALVEIT SRL**  
Vendor reference: **N959/17**  
Purchaser: \_\_\_\_\_  
Purchaser reference: \_\_\_\_\_

Issued at **Venice** on **2018-04-13**



for **DNV GL**

This document has been digitally signed and will therefore not have handwritten signatures.

**CONFIDENTIAL**

**Surveyor**

Certificate No: **N141JE2F**

**Product parameters:**

<b>Parameter name</b>	<b>Value</b>	<b>Unit</b>
Body material	GGG-40	
Material class	III	
Diameter, nominal	40	mm
Medium	Fresh water	
Pressure, design	16	bar
Temperature, design maximum	130	°C